Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
S2	102	(organiz\$3 arrang\$3 stor\$3 sav\$4) near5 (metadata metainformation (meta adj (data information))) near5 (retriv\$3 archiv\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 14:09
S3	64	(extract\$3 assign\$3 associat\$3) near5 (metadata metainformation (meta adj (data information))) near5 (retriv\$3 archiv\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 14:10
S5		(extract\$3 assign\$3 associat\$3) near5 (metadata metainformation (meta adj (data information))) near5 (retriv\$3 archiv\$3) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 14:12

1/17/2008 1:16:40 PM C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_540_440_case.wsp

Page 1

S6	46	(extract\$3 assign\$3 associat\$3) near5 (metadata metainformation (meta adj (data information))) near5 (context) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 10:54
S9	2	(extract\$3 assign\$3) near5 (metadata metainformation (meta adj (data information))) near5 (context) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 14:41
S11	8	(extract\$3 assign\$3) near5 (metadata metainformation (meta adj (data information))) near5 (transation action information) near5 user and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 14:24
S12	17	(extract\$3 assign\$3) near5 (metadata metainformation (meta adj (data information))) near5 (request\$3 transaction action) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 10:35

				T	r	
S13	1	((stor\$3 archiv\$3 sav\$3) near5 media near5 (request\$3 transaction action)) same ((generat\$3 creat\$3 extract\$3 inherit\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 15:14
S14	115	((stor\$3 archiv\$3 sav\$3) near5 media) same ((generat\$3 creat\$3 extract\$3 inherit\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 15:15
S15	18	((stor\$3 archiv\$3 sav\$3) near5 media) same (automatic\$4 near5 (generat\$3 creat\$3 extract\$3 inherit\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 15:50

S16	. 14	(automatic\$4 near5 (generat\$3 creat\$3 extract\$3 inherit\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) near5 media) and ((mobile portable) near5 (device machine computer)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 14:07
S17	1456	707/204.ccls. and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 15:55
S19	5	S17 and ((generat\$3 creat\$3 extract\$3 inherit\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) near5 media)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/09 15:56
S20	199	(extract\$3 assign\$3) near5 (metadata metainformation (meta adj (data information))) near5 (audio video image picture media song) and (log logging histor\$4) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 11:05

S21	28	(extract\$3 assign\$3) near5 (metadata metainformation (meta adj (data information))) near5 (audio video image picture media song) same (log logging histor\$4) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 11:05
S22	25	(extract\$3 assign\$3 creat\$3 generat\$3) near5 (metadata metainformation (meta adj (data information))) near5 (audio video image picture media song) same (log logging histor\$4) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220") not S21	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 11:28
S23	740	(extract\$3 assign\$3 creat\$3 generat\$3) near5 (metadata metainformation (meta adj (data information))) same ((stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video image picture media song)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 11:31

S24	28	(extract\$3 assign\$3 creat\$3 generat\$3) near5 (metadata metainformation (meta adj (data information))) same ((stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video image picture media song)) same (histor\$4 log logging cookie\$1 favorit\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 11:38
S25	555	(extract\$3 assign\$3 creat\$3 generat\$3) near5 (metadata metainformation (meta adj (data information))) same ((stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 13:44
S26	57	(automatic\$4 dynamic\$4) near5 (extract\$3 assign\$3 creat\$3 generat\$3) near5 (metadata metainformation (meta adj (data information))) same ((stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/15 15:54

S27	10	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) same ((stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song)) same ((mobile portable pda) near5 (computer device machine)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 15:12
S29		(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song)) and ((handheld (hand adj held) mobile portable pda pocket) near5 (computer device machine) near5 (transaction action request\$3)) and (@pd<"20021220" @rlad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 15:17

S30	353	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) and (histor\$4 log logging) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 15:26
S31	14	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) with (histor\$4 log logging) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 15:58
S32	398	(metadata metainformation (meta adj (data information))) same ((histor\$4 log logging) near5 stor\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 15:33

S33	113	(metadata metainformation (meta adj (data information))) same ((histor\$4 log logging)	US-PGPU B; USPAT; USOCR;	OR	ON	2008/01/10 15:36
	·	((mstor \$4 log logging) near5 storage) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	FPRS; EPO; JPO; IBM_TD B			
S34		(audio video image picture media song) near10 (metadata metainformation (meta adj (data information))) near10 ((histor\$4 log logging) near5 storage) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 15:37
S36	47	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 set setting) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) same (mobile portable pda pocket) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:05

1/17/2008 1:16:40 PM C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_540_440_case.wsp

Page 9

S37	252	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 set setting) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) and ((mobile portable pda pocket) near5 (computer device machine)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:06
S38	162	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 set setting) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) and ((mobile portable pda pocket) near5 (computer device machine)) and (histor\$4 log logging) and (@pd<"20021220" @rlad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:41

S39	16	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 set setting) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) same ((mobile portable pda pocket) near5 (computer device machine)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON .	2008/01/10 16:08
S40	12	(extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 set setting) near5 (metadata metainformation (meta adj (data information))) same ((record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) and (((mobile portable pda pocket) near5 (computer device machine)) same (histor\$4 log logging)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:21

				I		
S41	542	((creat\$3 download\$3 upload\$3 record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) near10 (metadata metainformation (meta adj (data information))) and ((smart mobile portable pda pocket) near5 (computer device machine phone)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:44
S42	22	((creat\$3 download\$3 upload\$3 record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) near10 (metadata metainformation (meta adj (data information))) near10 (log logging histor\$4) and ((smart mobile portable pda pocket) near5 (computer device machine phone)) and (@pd<"20021220" @rlad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:50

S43	37	((creat\$3 download\$3 upload\$3 record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) same ((extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 associat\$3) near5 (metadata metainformation (meta adj (data information)))) same ((smart mobile portable pda pocket) near5 (computer device machine phone)) and	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 10:32
		(@pd<"20021220" @rlad<"20021220" @ad<"20021220")				
S45	1456	707/204.ccls. and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:54
S46	. 270	S45 and (metadata metainformation (meta adj (data information)))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/10 16:54

				-		
S47	44	((creat\$3 record\$3 stor\$3 sav\$3 archiv\$3 deposit\$3) near5 (audio video media song voice sound soundtrack (sound adj track))) same ((extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 associat\$3) near5 (metadata metainformation (meta adj (data information)))) same ((smart mobile portable pda pocket cell) near5 (computer device machine phone)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 10:00
S49	14	(record\$3 near5 (audio video media song voice sound soundtrack (sound adj track)) same (assign\$3 creat\$3 generat\$3 associat\$3) near5 (metadata metainformation (meta adj (data information)))) same ((smart mobile portable pda pocket cell) near5 (computer device machine phone)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 10:45
S51	1	Automatic meta-data creation through context sensing	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	SAME	ON	2008/01/14 10:31

S52	4	((extract\$3 assign\$3 creat\$3 generat\$3 infer\$4 inherit\$3 associat\$3) near5 (metadata metainformation (meta adj (data information)))) same ((smart mobile portable pda pocket) near5 (computer device machine phone)) same context and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 10:41
S54	33	(record\$3 near5 (audio video media song voice sound soundtrack (sound adj track)) same (metadata metainformation (meta adj (data information)))) same ((smart mobile portable pda pocket cell) near5 (computer device machine phone)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 10:48
S55	61	(auto automatic\$4) same (metadata metainformation (meta adj (data information))) same ((smart mobile portable pda pocket cell) near5 (computer device machine phone)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 _. 14:35

S56	222	(auto automatic\$4) near10 (generat\$3 creat\$3 extract\$3 add\$3 addition attach\$3 includ\$3) near10 (metadata metainformation (meta adj (data information))) same (media song audio music video) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 14:38
S58	83	(auto automatic\$4) near10 (generat\$3 creat\$3 extract\$3 add\$3 addition attach\$3 includ\$3) near10 (metadata metainformation (meta adj (data information))) near10 (media song audio music video) and ((smart mobile portable pda pocket cell) near5 (computer device machine phone laptop)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/14 14:40
S60		calendar same context\$3 same (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON .	2008/01/16 08:11

S61	203	(search\$3 quer\$4) near10 (metadata metainformation (meta adj (data information))) near10 (time period) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 14:09
S62	128	(search\$3 quer\$4 retriev\$3) near10 (metadata metainformation (meta adj (data information))) near10 (time period) and (markup (mark adj up)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 14:12
S63	1	(search\$3 quer\$4 retriev\$3) near10 (song voice audio record) near10 (metadata metainformation (meta adj (data information))) near10 (time period) and (markup (mark adj up)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 14:20
S64	14	(search\$3 quer\$4 retriev\$3) near10 (song voice audio record) near10 (metadata metainformation (meta adj (data information))) near10 (time period) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 14:23

S65	86	(song voice audio record) near10 (metadata metainformation (meta adj (data information))) near10 (time period) and (markup (mark adj up)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 14:47
S67	137	(auto automatic\$4) near10 (generat\$3 creat\$3 extract\$3 add\$3 addition attach\$3 includ\$3) near10 (metadata metainformation (meta adj (data information))) near10 (media song audio music video) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR ·	ON	2008/01/16 18:42
S68	8	(search\$3 quer\$4 find\$3) near10 (metadata metainformation (meta adj (data information))) near10 (audio song media voice) near10 (part portion) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 15:36
S70	41	(search\$3 quer\$4 find\$3) near10 (metadata metainformation (meta adj (data information))) near10 (audio song media voice) near10 time and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 15:40

S71	25	(metadata metainformation (meta adj (data information))) same (audio song media voice) same (time adj index\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 15:59
S73	2524	audio near5 index\$3	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 15:48
S74	19	(audio song sound) same (metadata metainformation (meta adj (data information))) same (time adj index\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 15:49
S75	431	(metadata metainformation (meta adj (data information))) same (audio song media voice) same (time) and (markup (mark adj up)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 16:00

S76	31	(metadata metainformation (meta adj (data information))) same (audio song media voice) same (time) same (markup (mark adj up)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 16:06
S77	· 124	(metadata metainformation (meta adj (data information))) same (audio song media voice) same ((play\$3 creat\$3 modif\$4 edit\$4 access\$3) near5 time) and ((markup (mark adj up)) near5 (language format)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 16:07
S78	1	10/540440	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 18:48
S79	126	(map\$4 match\$3 compar\$4) near10 (cod\$3 symbol\$4) near10 (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 18:50

			· · · · · · · · · · · · · · · · · · ·	·		
S81	8	(map\$4 match\$3 compar\$4) same (cod\$3 symbol\$4) same frequenc\$3 same (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 18:54
S82	2	(modulat\$3 near5 signal) same frequenc\$3 same (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 18:57
S83	18	(modulat\$3 near5 signal) same (metafile metadata metainformation (meta adj (data information file))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 19:13
S84	150	(modulat\$3 near5 signal) and (frequenc\$3 near5 domain) and (metafile metadata metainformation (meta adj (data information file))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 19:13

S85	56	(modulat\$3 near5 signal) and (time near5 domain) and (frequenc\$3 near5 domain) and (metafile metadata metainformation (meta adj (data information file))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 19:14
S86	5	(modulat\$3 near5 signal) and (time near5 domain) and (frequenc\$3 near5 domain) and ((metafile metadata metainformation (meta adj (data information file))) same frequenc\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 19:17
S87	. 33	(map\$4 match\$3 compar\$4) near10 frequenc\$3 near10 (metafile metadata metainformation (meta adj (data information file))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 19:31
S89	32	(map\$4 match\$3 compar\$4) near10 frequenc\$3 near10 (metafile metadata metainformation (meta adj (data information file))) and (audio sound voice soundtrack (sound adj track) song track media) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 19:22

						r1
S90	13	(audio sound song beat voice) near10 frequenc\$3 near10 (metafile metadata metainformation (meta adj (data information file))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 22:58
S92	154	(modulated near5 (signal data file information)) same (modulating near5 (signal data file information)) same ((time frequency) near5 domain) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:01
S93	5	(modulated near5 (signal data file information)) same (modulating near5 (signal data file information)) same ((time frequency) near5 domain) same (multipl\$4 multiplication) same (add\$3 addition) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:45
S94	92	(conver\$4 transform\$3 transformation) same (modulat\$3 near5 (signal data file information)) same ((time frequency) near5 domain) same (multipl\$4 multiplication) same (add\$3 addition) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:47

S95	1	(conver\$4 transform\$3 transformation) same (modulat\$3 near5 (signal data file information) near5 (sound voice audio media)) same ((time frequency) near5 domain) same (multipl\$4 multiplication) same (add\$3 addition) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:49
S96	18	(conver\$4 transform\$3 transformation) near10 (modulat\$3 near5 (signal data file information)) near10 ((time frequency) near5 domain) same (multipl\$4 multiplication) same (add\$3 addition) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:51
S97	280	(conver\$4 transform\$3 transformation) near10 (modulat\$3 near5 (signal data file information)) same (time near5 domain) same (frequency near5 domain) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:52

S98	11	(conver\$4 transform\$3 transformation) near10 (modulat\$3 near5 (signal data file information) near10 (sound audio voice media)) same (time near5 domain) same (frequency near5 domain) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/16 23:52
S10 1	4	(metadata metainformation (meta adj (data information))) same ((magnitude intensity) near10 ratio) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 01:34
S10 2	11595	((magnitude intensity) near5 ratio nea5 value) and (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 01:36
S10 3	1	((magnitude intensity) near5 (signal sound audio) near5 ratio near5 value) and (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 01:37

S10 4	10	((magnitude intensity) near5 (signal sound audio) near5 ratio) and (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 01:41
S10 6	38	((magnitude intensity) near5 ratio) and (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 02:23
S10 7	3	((magnitude intensity) near5 ratio) same (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 01:42
S10 8	427	((input\$3 button command) near5 (control\$3 guid\$3) near5 record\$3) and (start\$3 same (stop\$4 end\$3) same paus\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 02:25

S11 0	34	((input\$3 button command) near5 (control\$3 guid\$3) near5 record\$3) and (start\$3 same (stop\$4 end\$3) same paus\$3) and (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 08:33
S11 1	26	(audio song voice record track) same (metadata metainformation (meta adj (data information))) and (start\$3 same (stop\$4 end\$3) same paus\$3 same (continu\$5 resum\$3) same (time mark\$3)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 08:44
S11 2	27	(audio song voice media) same (metadata metainformation (meta adj (data information))) and ((button command instruction) same (start\$3 play\$3 record\$3) same (stop\$4 end\$3) same paus\$3 same (continu\$5 resum\$3) same (time mark\$3)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 08:52

S11 3	18	(audio song voice media) same (metadata metainformation (meta adj (data information))) and ((button command instruction) same (record\$3) same (stop\$4 end\$3) same paus\$3 same (continu\$5 resum\$3) same (time mark\$3)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 08:55
S11 4	2	(audio song voice media) same (metadata metainformation (meta adj (data information))) same (time) same ((creat\$3 input\$4 generat\$3) near5 context\$3) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 08:57
S11 5	96	(audio song voice media) same (metadata metainformation (meta adj (data information))) same (time) same context\$3 and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 09:01

Page 28

S11 6	2	(audio song voice media) same (metadata metainformation (meta adj (data information))) same context\$3 and (time same (start\$3 record\$3) same (stop\$4 end\$3) same paus\$3 same (continu\$5 resum\$3) same time) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 09:05
S11 7	1	((audio song voice media) near5 recorder) same (metadata metainformation (meta adj (data information))) same time same context\$3 and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 09:06
S11 8	64	((audio song voice media) near5 recorder) same (metadata metainformation (meta adj (data information))) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 09:06
S11 9	161	(audio song voice media) same (metadata metainformation (meta adj (data information))) SAME ((smart mobile portable pda pocket cell) near5 (computer device machine phone laptop)) and (@pd<"20021220" @rlad<"20021220" @ad<"20021220")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/17 09:29